

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1600RXA

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 DEC 05 CASREACT(R) - Over 10 million reactions available
NEWS 4 DEC 14 2006 MeSH terms loaded in MEDLINE/LMEDLINE
NEWS 5 DEC 14 2006 MeSH terms loaded for MEDLINE file segment of TOXCENTER
NEWS 6 DEC 14 CA/Caplus to be enhanced with updated IPC codes
NEWS 7 DEC 21 IPC search and display fields enhanced in CA/Caplus with the
IPC reform
NEWS 8 DEC 23 New IPC8 SEARCH, DISPLAY, and SELECT fields in USPATFULL/
USPAT2
NEWS 9 JAN 13 IPC 8 searching in IFIPAT, IFIUDB, and IFICDB
NEWS 10 JAN 13 New IPC 8 SEARCH, DISPLAY, and SELECT enhancements added to
INPADOC
NEWS 11 JAN 17 Pre-1988 INPI data added to MARPAT
NEWS 12 JAN 17 IPC 8 in the WPI family of databases including WPIFV
NEWS 13 JAN 30 Saved answer limit increased
NEWS 14 JAN 31 Monthly current-awareness alert (SDI) frequency
added to TULSA

NEWS EXPRESS FEBRUARY 15 CURRENT VERSION FOR WINDOWS IS V8.01a,
CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 19 DECEMBER 2005.
V8.0 AND V8.01 USERS CAN OBTAIN THE UPGRADE TO V8.01a AT
<http://download.cas.org/express/v8.0-Discover/>

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information).

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 09:31:56 ON 16 FEB 2006

=> fil reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

4.83

4.83

FILE 'REGISTRY' ENTERED AT 09:45:47 ON 16 FEB 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 14 FEB 2006 HIGHEST RN 874270-88-9
DICTIONARY FILE UPDATES: 14 FEB 2006 HIGHEST RN 874270-88-9

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*



Structure search iteration limits have been increased. See HELP SLIMITS
for details.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=>

Uploading C:\Program Files\Stnexp\Queries\QUERIES\10749631.str



chain nodes :
10 11 12 13 14 15 17
ring nodes :
1 2 3 4 5 6 7 8 9
chain bonds :
1-17 2-10 10-14 10-11 11-12 12-13 12-15
ring bonds :
1-2 1-5 2-3 3-4 4-5 4-6 5-9 6-7 7-8 8-9
exact/norm bonds :
1-2 1-5 1-17 2-3 2-10 3-4 4-5 4-6 5-9 6-7 7-8 8-9 10-14 10-11 11-12
12-13 12-15
isolated ring systems :
containing 1 :

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS
11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 17:Atom

L1 STRUCTURE UPLOADED

=> d

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 09:46:38 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 85 TO ITERATE

100.0% PROCESSED 85 ITERATIONS

41 ANSWERS

SEARCH TIME: 00.00.04

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 1147 TO 2253

PROJECTED ANSWERS: 436 TO 1204

L2 41 SEA SSS SAM L1

=> s l1 full

FULL SEARCH INITIATED 09:46:50 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 1714 TO ITERATE

100.0% PROCESSED 1714 ITERATIONS

765 ANSWERS

SEARCH TIME: 00.00.02

L3 765 SEA SSS FUL L1



=> s l3 and caplus/lc

49740058 CAPLUS/LC

L4 510 L3 AND CAPLUS/LC

=>

Uploading C:\Program Files\Stnexp\Queries\QUERIES\10749631.str



```

chain nodes :
10 11 12 13 14 15 17
ring nodes :
1 2 3 4 5 6 7 8 9
chain bonds :
1-17 2-10 10-14 10-11 11-12 12-13 12-15
ring bonds :
1-2 1-5 2-3 3-4 4-5 4-6 5-9 6-7 7-8 8-9
exact/norm bonds :
1-2 1-5 1-17 2-3 2-10 3-4 4-5 4-6 5-9 6-7 7-8 8-9 10-14 10-11 11-12
12-13 12-15
isolated ring systems :
containing 1 :
```

```


Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS
11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 17:Atom
```

L5 STRUCTURE UPLOADED

=> d

L5 HAS NO ANSWERS

L5 STR



Structure attributes must be viewed using STN Express query preparation.

=> s 15

SAMPLE SEARCH INITIATED 09:48:22 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 85 TO ITERATE

100.0% PROCESSED 85 ITERATIONS 1 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 1147 TO 2253
PROJECTED ANSWERS: 1 TO 80

L6 1 SEA SSS SAM L5

=> s 15 full
FULL SEARCH INITIATED 09:48:25 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 1714 TO ITERATE

100.0% PROCESSED 1714 ITERATIONS 4 ANSWERS
SEARCH TIME: 00.00.01


L7 4 SEA SSS FUL L5

=> s 17 and caplus/lc
49740058 CAPLUS/LC
L8 2 L7 AND CAPLUS/LC

=> s 17 not 18
L9 2 L7 NOT L8


=> d 19 1-2

L9 ANSWER 1 OF 2 REGISTRY COPYRIGHT 2006 ACS on STN
RN 780014-35-9 REGISTRY
ED Entered STN: 14 Nov 2004
CN 1H-Indole-2-carboxamide, N-(aminoiminomethyl)-5-methoxy-1-phenyl- (9CI)
(CA INDEX NAME)
FS 3D CONCORD
MF C17 H16 N4 O2
CI COM
SR CA



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L9 ANSWER 2 OF 2 REGISTRY COPYRIGHT 2006 ACS on STN
RN 167630-99-1 REGISTRY
ED Entered STN: 14 Sep 1995
CN 1H-Indole-2-carboxamide, N-(aminoiminomethyl)-5-chloro-1-phenyl- (9CI)
(CA INDEX NAME)
FS 3D CONCORD
MF C16 H13 Cl N4 O
CI COM
SR CA




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

```
=> s 17 1-4  
MISSING OPERATOR
```


```
=> d 17 1-4
```

L7 ANSWER 1 OF 4 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 780014-35-9 REGISTRY
 ED Entered STN: 14 Nov 2004
 CN 1H-Indole-2-carboxamide, N-(aminoiminomethyl)-5-methoxy-1-phenyl- (9CI)
 (CA INDEX NAME)
 FS 3D CONCORD
 MF C17 H16 N4 O2
 CI COM
 SR CA



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L7 ANSWER 2 OF 4 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 167631-00-7 REGISTRY
 ED Entered STN: 14 Sep 1995
 CN 1H-Indole-2-carboxamide, N-(aminoiminomethyl)-5-chloro-1-phenyl-,
 monomethanesulfonate (9CI) (CA INDEX NAME)
 MF C16 H13 Cl N4 O . C H4 O3 S
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER
 CM 1
 CRN 167630-99-1
 CMF C16 H13 Cl N4 O




CM 2
 CRN 75-75-2
 CMF C H4 O3 S




1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L7 ANSWER 3 OF 4 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 167630-99-1 REGISTRY
 ED Entered STN: 14 Sep 1995
 CN 1H-Indole-2-carboxamide, N-(aminoiminomethyl)-5-chloro-1-phenyl- (9CI)
 (CA INDEX NAME)
 FS 3D CONCORD
 MF C16 H13 Cl N4 O
 CI COM
 SR CA



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT



L7 ANSWER 4 OF 4 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 167630-90-2 REGISTRY
 ED Entered STN: 14 Sep 1995
 CN 1H-Indole-2-carboxamide, N-(aminoiminomethyl)-5-methoxy-1-phenyl-,
 monohydrochloride (9CI) (CA INDEX NAME)
 MF C17 H16 N4 O2 . Cl H
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER
 CRN (780014-35-9)



● HCl

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=>
 Uploading C:\Program Files\Stnexp\Queries\QUERIES\10749631.str



chain nodes :
 10 11 12 13 14 15 17
 ring nodes :
 1 2 3 4 5 6 7 8 9
 chain bonds :
 1-17 2-10 10-14 10-11 11-12 12-13 12-15
 ring bonds :
 1-2 1-5 2-3 3-4 4-5 4-6 5-9 6-7 7-8 8-9
 exact/norm bonds :
 1-2 1-5 1-17 2-3 2-10 3-4 4-5 4-6 5-9 6-7 7-8 8-9 10-14 10-11 11-12
 12-13 12-15
 isolated ring systems :
 containing 1 :

Match level :

Structure attributes must be viewed using STN Express query preparation.

=> s l10

SAMPLE SEARCH INITIATED 09:54:08 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 85 TO ITERATE

100.0% PROCESSED 85 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 1147 TO 2253

PROJECTED ANSWERS: 0 TO 0

L11 0 SEA SSS SAM L10

=> s l10 full

FULL SEARCH INITIATED 09:54:11 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 1714 TO ITERATE

100.0% PROCESSED 1714 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

L12 0 SEA SSS FUL L10

=> log y

COST IN U.S. DOLLARS

SINCE FILE
ENTRY

TOTAL
SESSION